



# 4.0MP Robot Camera WiFi Dual-Band Fires Series

## FI-R401-W



Human  
Detection



Pan & Tilt  
Camera



WiFi  
Connection



Two-Way  
Talk



Area  
Detection




Cloud  
Storage

# ควบคุม 4 ล้อ



## Pan & Tilt Camera



## Two-Way Audio




**O-KAM Pro**  
Download Application





# 4.0MP Robot Camera WiFi Dual-Band Fires Series



**O-KAM Pro**  
Download Application  
Download on the App Store | ANDROID APP ON Google play





## Product features

- \* 4MP 2560x1440 / 15FPS
- \* Lens 4mm, Night vision 5-10m
- \* 0.5Lux(color mode),0.1Lux (b&w mode)
- \* Night vision full-color / H.264
- \* Viewing angle Diagonal:108°
- \* Brightness,contrast,OSD display
- \* Built-in microphone & speaker
- \* Rotation angle Pan: 310° Tilt: 115°
- \* Wireless frequency 2.4G/5G
- \* Support Motion, human, area detection
- \* Rated voltage DC5V±5%

Model	FI-R401-W
operating system	Linux
Online visitor	Supports 4 visitors at the same time
APP	O-KAM Pro
<b>Collection</b>	
CPU	Ingenic T41LQ
Memory	512Mb
Lens	4mm
Image sensor	1/34MP progressive scan CMOS sensor
Min.Illumination	0.5Lux(color mode),0.1Lux (b&w mode)
Sensor performance	Support automatic white balance,automatic gain control and automatic backlight compensation
Night vision	Black and white night vision full-color night vision
Viewing angle	Diagonal:108°
<b>Video</b>	
Resolution	4MP 2560x1440/15FPS
Night vision	5-10m
Compression standard	H.264 main profile/Motion-JPEG/JPEG
IR control	IR-CUT,soft photosensitive control
Bit rate	128~4096kbps
Image adjustment	Brightness,contrast,OSD display
<b>Audio</b>	
Input	Built-in-38dB microphone
Output	Built-in 801W speaker
Sampling frequency/bit width	8KHz/16bit
Compression standard/Bit Rate	G711A
<b>Pan/Tilt</b>	
Rotation angle	Pan:310° Tilt:115°
<b>Network</b>	
Network interface	N/A
Network protocol	TCP/IP,HTTP,TCP,UDP,DHCP,DNS,NTP,RTSP,P2P
Wireless network	IEEE802.11b/g/n



# 4.0MP Robot Camera WiFi Dual-Band Fires Series



**O-KAM Pro**  
Download Application



## Product features

- \* 4MP 2560x1440 / 15FPS
- \* Lens 4mm, Night vision 5-10m
- \* 0.5Lux(color mode),0.1Lux (b&w mode)
- \* Night vision full-color / H.264
- \* Viewing angle Diagonal:108°
- \* Brightness,contrast,OSD display
- \* Built-in microphone & speaker
- \* Rotation angle Pan: 310° Tilt: 115°
- \* Wireless frequency 2.4G/5G
- \* Support Motion, human, area detection
- \* Rated voltage DC5V±5%

Model	FI-R401-W
Wireless frequency	2.4G/5G
Wireless security encryption	64/128-bit WEP/WPA-PSK/WPA2-PSK data encryption
<b>Storage</b>	
External TF card	Supports T-Flash cards(up to 256GB)
Cloud storage	support cloud storage,users can purchase according to their needs.
<b>Alarm</b>	
Alarm detection	Motion detection,human detection,human framing,person tracking,and area detection
<b>Physical Indicators</b>	
Rated voltage	DC5V±5%
Power consumption	Rated: 2.9W(0.58A); Full function on: 6W(1.2A)
Operating condition	Working temperature: -10~45°C, working humidity<90%
Weight	N.W:233g G.W:386g
Camera size	81×81x132mm

