



# 3.0MP Portable Camera 4G Network mini Camera Fires Series

## Fi-B-301-4G



4G  
Networking



180°  
Lens  
180° Flip



One Click  
Recording/Capturing



Business  
Back Clip




Human  
Detection



Infrared  
Night Vision

# คมชัด 3 ล้าน



**O-KAM Pro**  
Download Application






# 3.0MP Portable Camera

## 4G Network mini Camera Fires Series



กล้องไอโฟน  
4G 4G



**O-KAM Pro**  
Download Application  
Download on the App Store  
ANDROID APP ON Google play

## Product features

- \* Portable. Law enforcement records restore the truth.
- \* 4G networking, supports remote viewing of on-site conditions anytime, any
- \* 1296PHD resolution
- \* It supports sound recording, video recording, taking photos. Simultaneous recording of sound and images.
- \* Built in lithium battery for continuous recording of 8 hours.
- \* 4\*940nm patch infrared lights, night vision distance 5 meters; Supports infrared night vision on/off.
- \* Can manually flip the lens 180 degrees and set the image to flip up and do the App.
- \* Supports multi user sharing, 4 users simultaneous live view
- \* Cloud storage. The videos triggered by motion detection will be pushed to cloud server for storage. No need to fear of losing important videos even if the camera is stolen.

Model	Fi-B-301-4G
Operating system	Linux
Online visitor	Supports 4 visitors at the same time
APP	O-KAM
<b>Collection</b>	
CPU	T31
Memory	8M
Image sensor	3MP
Minimum illumination	0.5Lux(color mode), 0.1Lux (black & white mode)
Lens	1G3P
Viewing angle	Diagonal 129°
<b>Video</b>	
Night vision	Dual filter automatic switching, 4*940nm patch infrared lights, irradiation dismeters
Compression standard	H.264/MJPEG/JPEG
Multi stream	Main stream: 1296P/25fps; Sub stream: 360P/25fps
IR control	When the IR night vision function is enabled, IR and ICR are automatically de when the IR night vision function is disabled, IR is off and ICR is fixed in the dvision mode.
Bit rate	CBR/VBR two rate control modes, and the output rate range is 128~4096kb
Image adjustment	Vertical, horizontal adjustable, OSD display
<b>Audio</b>	
Input	Built-in-38dB microphone
Sampling frequency/bit width	8KHz/16bit
Compression standard/Bit Rate	G711A
<b>AI</b>	
Human detection, human frame	Human detection, filtering invalid video contents



# 3.0MP Portable Camera

## 4G Network mini Camera Fires Series



กล้องไอซียู



4G  
Networking



180°  
Lens  
180° Flip



One Click  
Recording/Capturing



Business  
Back Clip



Human  
Detection



Infrared  
Night Vision



TF Card up to  
256GB



**O-KAM Pro**

Download Application



## Product features

- \* Portable. Law enforcement records restore the truth.
- \* 4G networking, supports remote viewing of on-site conditions anytime, any
- \* 1296PHD resolution
- \* It supports sound recording, video recording, taking photos. Simultaneous recording of sound and images.
- \* Built in lithium battery for continuous recording of 8 hours.
- \* 4\*940nm patch infrared lights, night vision distance 5 meters; Supports infrared night vision on/off.
- \* Can manually flip the lens 180 degrees and set the image to flip up and do the App.
- \* Supports multi user sharing, 4 users simultaneous live view
- \* Cloud storage. The videos triggered by motion detection will be pushed to cloud server for storage. No need to fear of losing important videos even if the camera is stolen.

Model	Fi-B-301-4G
Motion detection	Motion detection, remote alarm events
Area detection	Free smearing, only monitoring the areas concerned by users
<b>Network</b>	
4G China	FDD: B1/B3/B8/B38/B40
<b>Button</b>	
Reset	Long press to restore factory setting
Video button	Short press to pause the recording and save
Photo button	Short press 1 time to take photos; Short press 2 time to turn on/off night vision
Power button	Push up to turn on, push down to turn off
<b>Storage</b>	
External TF card	TF card (up to 256GB)
Cloud storage	Free loop cloud storage
<b>Physical Indicators</b>	
Alarm detection	Motion detection, human detection
Charging voltage	DC5V ± 5% @ Type-C interface
Power supply	1500mAh battery
Power consumption	Sleep standby: 300uA, working: 400MA-800MA max
Operating condition	Temperature: -10~50°C; Humidity: <90%
Weight Net	weight: 59.5g; Gross weight: 110.3g (Note: in kind prevail)
Size	Camera: 95*37*24mm