



4 Lens PT Camera

WiFi Outdoor Camera Fires Series

Fi-P304-W



Human Detection



360° Panoramic Care



WiFi Connection



Two-Way Talk



Waterproof & Dustproof




Cloud Storage

ကျွန်ုပ်တို့ 3 လမ်း



360° Panoramic View




O-KAM Pro
Download Application





4 Lens PT Camera

WiFi Outdoor Camera Fires Series



O-KAM Pro
Download Application



Product features

- * Lens 4mm, 3.0MP
- * 0.5Lux (color mode), 0.1Lux (b&w mode)
- * Night vision 20-50meters, H.264
- * Four views, monitor with no blind spots
- * Brightness, contrast, OSD display
- * Built-in microphone and speaker
- * Human detection, real time alerts
- * Support cloud storage
- * Rated voltage DC12V±5%
- * Power consumption Power: 8.64W(0.72A)
Maximum power: 11.16W (0.93A)

Model


Fi-P304-W

Operating system	Linux
Online visitor	Supports 4 visitors at the same time
APP	O-KAM Pro
Collection	
CPU	Ingenic
Memory	512Mb
Lens	4mm
Image	3MP
Min. Illumination	0.5Lux (color mode), 0.1Lux (b&w mode)
Sensor performance	Support automatic white balance, automatic gain control and automatic backlight compensation
Night vision	Black and white night vision, full-color night vision
Viewing angle	91°
Video	
Resolution	3MP
Night vision	20-50meters
Compression standard	H.264 main profile / Motion-JPEG / JPEG
IR control	IR-CUT, soft photosensitive control
Bit rate	128~4096kbps
Image adjustment	Brightness, contrast, OSD display
Audio	
Input	Built-in -38dB microphone
Output	Built-in 8 Ω 1W speaker
Sampling frequency/bit width	8KHz/16bit
Compression standard/Bit Rate	G711A
Pan / Tilt	
Rotation angle	Pan: 270° Tilt: 90°
Network	
Network interface	10Mbps/100Mbps
Network protocol	TCP/IP, HTTP, TCP, UDP, DHCP, DNS, NTP, RTSP, P2P




4 Lens PT Camera

WiFi Outdoor Camera Fires Series



O-KAM Pro
Download Application



Product features

- * Lens 4mm, 3.0MP
- * 0.5Lux (color mode), 0.1Lux (b&w mode)
- * Night vision 20-50meters, H.264
- * Four views, monitor with no blind spots
- * Brightness, contrast, OSD display
- * Built-in microphone and speaker
- * Human detection, real time alerts
- * Support cloud storage
- * Rated voltage DC12V±5%
- * Power consumption Power: 8.64W(0.72A)
Maximum power: 11.16W (0.93A)

Model

Fi-P304-W

Wireless network	IEEE802.11b/g/n
Wireless frequency	2.4G
Wireless security encryption	64 / 128-bit WEP / WPA-PSK / WPA2-PSK

Storage

External TF card	Supports T-Flash cards (up to 256GB)
Cloud storage	Support cloud storage, users can purchase according to their needs.

Alarm

Alarm detection	Motion detection, human detection, human framing, human tracking, siren alarm, and area detection
-----------------	---

Physical Indicators

Rated voltage	DC12V±5%
Power consumption	Power: 8.64W (0.72A) Maximum power: 11.16W (0.93A)
Operating condition	Working temperature: -10~55°C, Working humidity <90%
Weight	Net weight: 620g Gross weight: 1200g
Camera size	154 x 235 x 185mm

Four Cameras in One

One camera can monitor four different areas at the same time, reducing installation time and cost. 360° monitoring completely eliminates monitoring blind spots.

